



EV Charger Catalogue

sevadis.com





36 million electric vehicles on UK roads by 2040



Power your electric vehicles

Make the transition with Sevadis

Since 2016, we've been advising, supplying and installing charging points for building projects, residential developments, businesses and individual customers. As the move towards electric vehicles gathers pace, our engineers and EV experts are leading the transformation with bespoke charging systems, stylish user-friendly equipment and smart online payment software.




Product quality you can trust



Customer service you can rely on



Easy & efficient installation





Introducing the MaxiCharger

Cost-effective single-socket charger



**PME FAULT
DETECTION
INCORPORATED**

- ✓ 3.7 kW - 22 kW
- ✓ Single socket or tethered Type 2 charger
- ✓ Single-phase and three-phase connection
- ✓ Wall and floor-mounted solutions
- ✓ OCPP 1.6 compliant
- ✓ Smart online or offline system
- ✓ Smart App or Cloud management software
- ✓ Dynamic and Active Load Balancing options available
- ✓ Black, silver or white fascia

**For more information, visit www.sevadis.com
or call 0330 058 7144 to discuss the MaxiCharger**



Stilo

- ✓ 3.7 kW - 22 kW
- ✓ Tethered Type 2 cable
- ✓ Single-phase and three-phase connection
- ✓ Wall-mounted
- ✓ OCPP 1.6 compliant
- ✓ Smart online or offline system
- ✓ Cloud management software
- ✓ Built-in dynamic load balancing capabilities
- ✓ Active load management EnergyGuard available
- ✓ PME fault detection available on single phase

Floor-Standing



Wall-Mounted



Scatalo Duo

- ✓ 3.7 kW - 7.4 kW
- ✓ Dual-outlet, universal Type 2 charger
- ✓ Single-phase connection
- ✓ Wall-mounted or floor-standing
- ✓ OCPP 1.6 compliant
- ✓ Smart online or offline system
- ✓ Cloud management software
- ✓ Built-in dynamic load balancing capabilities
- ✓ Active load management EnergyGuard available

Floor-Standing



Wall-Mounted



Scatalo

- ✓ 3.7 kW - 22 kW
- ✓ Single-outlet, universal Type 2 charger
- ✓ Single-phase and three-phase connection
- ✓ Wall-mounted or floor-standing
- ✓ OCPP 1.6 compliant
- ✓ Smart online or offline system
- ✓ Cloud management software
- ✓ Built-in dynamic load balancing capabilities
- ✓ Active load management EnergyGuard available
- ✓ PME fault detection available on single phase

Scatalo Duo Column

- ✓ 3.7 kW - 7.4 kW
- ✓ Dual-outlet, universal Type 2 charger
- ✓ Single-phase connection
- ✓ Floor-standing
- ✓ OCPP 1.6 compliant
- ✓ Smart online or offline system
- ✓ Cloud management software
- ✓ Built-in dynamic load balancing capabilities
- ✓ Active load management EnergyGuard available



Floor-Standing



Wall-Mounted



Scatalo Duo Power

- ✓ 3.7 kW - 22 kW
- ✓ Dual-outlet, universal Type 2 charger
- ✓ Single-phase and three-phase connection
- ✓ Wall-mounted or floor-standing
- ✓ OCPP 1.6 compliant
- ✓ Smart online or offline system
- ✓ Cloud management software
- ✓ Built-in dynamic load balancing capabilities
- ✓ Active load management EnergyGuard available
- ✓ PME fault detection available on single phase

Socket



Tethered



Grandis

- ✓ 3.7 kW - 22 kW
- ✓ Single or dual-outlet, universal Type 2 charger
- ✓ Single-phase and three-phase connection
- ✓ Floor-standing
- ✓ OCPP 1.6 compliant
- ✓ Smart online or offline system
- ✓ Cloud management software
- ✓ Tethered option available
- ✓ Built-in dynamic load balancing capabilities
- ✓ Active load management EnergyGuard available
- ✓ PME fault detection available on single phase

Floor-Standing




Wall-Mounted



Pacto

- ✓ 3.7 kW - 22 kW
- ✓ Single-outlet, universal Type 2 charger
- ✓ Single-phase and three-phase connection
- ✓ Wall-mounted or floor-standing
- ✓ OCPP 1.6 compliant
- ✓ Smart online or offline system
- ✓ Smart App or Cloud management software
- ✓ Built-in dynamic load balancing capabilities





Take charge with the Sevadis Cloud

- ✓ Software system that connects EVCP billing and payment
- ✓ OCPP 1.6 compliant
- ✓ Can be used with Sevadis charge points or other compatible systems
- ✓ Built for both EVCP owners and users

For more information, call our team of experts on 0330 058 7144 or email customerservice@sevadis.com

Floor-Standing

Wall-Mounted



Keywatt 24 Wallbox and Station

- ✓ One charging output, either CCS Combo or CHAdeMO
- ✓ Compact design for fast & economic installation
- ✓ Maintenance-free cooling system - no air filter
- ✓ Compatible with all AC networks, one-phase & three-phase
- ✓ Robust design for outdoor use (IP55/IK10)
- ✓ OCPP 1.6 compatible for remote supervision and smart charging
- ✓ Front panel & user menu customisable

Front

Back



Tritium RT50 DC Fast Charger

- ✓ The world's smallest footprint 50 kW DC charger
- ✓ Slim, compact and stylish; all in one sealed unit
- ✓ Liquid-cooling technology
- ✓ OCPP 1.6 compliant
- ✓ 125 A CCS1/CCS2 and 125 A CHAdeMO connectors
- ✓ 'Plug and Charge' technology, RFID & cloud-based authentication & payment system solutions
- ✓ Customisable branding
- ✓ Quick and easy to install



Keywatt 50 Station

- ✓ Universal multi-standard 50 kW charging station
- ✓ CCS Combo 2 and/or CHAdeMO and/or AC Type 2 (22 kW or 43 kW optional)
- ✓ Simultaneous charge AC and DC
- ✓ Keywatt hermetic design - no air filter
- ✓ Dual modem for operation & maintenance supervision
- ✓ 7" touchscreen display
- ✓ OCPP 1.6 compliant
- ✓ Easy customisation
- ✓ Payment terminal included or dual and multi 43 KVA AC

Front

Back



Tritium RTM 50 kW/75 kW DC Fast Charger

- ✓ Slim and compact footprint
- ✓ Patented liquid-cooling technology
- ✓ OCPP 1.6 compliant
- ✓ Simultaneous charging ready (dual EVSE)
- ✓ Mix and match cables - CCS1, CCS2 and/or CHAdeMO
- ✓ Option for six-metre-long cables with integrated cable management
- ✓ 'Plug and Charge' technology, RFID & cloud-based authentication & payment system solutions
- ✓ Customisable branding
- ✓ Quick and easy to install



**Product quality
you can trust**



**Customer service
you can rely on**



**Easy & efficient
installation**



EV Charger Catalogue

Call 0330 058 7144

Email customerservice@sevadis.com

Visit www.sevadis.com